

Subfloor Treatment With Scrabber Disc

Scrabber Disc Green

Scrabber Disc Black

Job Site Size

surface (sqm):

edge (m):

Subfloor

screed

wood

other:

Wood (only Scrabber Disc Green)

Wood type:

chipboard

OSB board

other:

Condition of the wood / Particularities

severe unevenness

metal objects in wood

other:

Screed

Type of screed:

CT = Cement screed

CE = Calcium sulfate/anhydrite screed

AS = Mastic asphalt

MA = Magnesia screed

SR = Synthetic resin screed

other:

Grit of screed sand:

0-8 (fine)

0-16 (rough)

Condition of the screed / Particularities

severe unevenness

screed breakage

cracks in the screed

metal objects in screed

other:

Removal of

Adhesive residues:

dispersion adhesive

epoxy resin / synthetic resin adhesive

polyurethane adhesive

bitumen / asphalt adhesive

tile adhesives

other:

Other residues:

felt back residues <input type="checkbox"/>	foam back residues <input type="checkbox"/>
plaster residues <input type="checkbox"/>	cork back remains <input type="checkbox"/>
piming materials residues <input type="checkbox"/>	paint residues <input type="checkbox"/>
cardboard residues <input type="checkbox"/>	jute back residues <input type="checkbox"/>

other:

Were there several layers of adhesive residues / other residues?

yes no

Procedure

Number of Scrabber Segments:

3 6

Use of the additional weight SINGLE?

yes no

Machine displacement:

25% <input type="checkbox"/>	50% <input type="checkbox"/>
75% <input type="checkbox"/>	100% <input type="checkbox"/>

Wear Of The Scrabber Segments?

Break-outs on the PCD cutting edges?

yes no

If so, how many?

Are there any pictures of the segments available?

yes no

Time Required (min.)

surface: edge:

Further Preliminary Work Before Laying The Flooring

Was further preliminary work necessary?

yes no

If so, which ones:

sanding with the Diamond Sanding Disc? yes * no

sanding with G16 <input type="checkbox"/>	sanding with G24 <input type="checkbox"/>	filling/levelling <input type="checkbox"/>
---	---	--

other:

*) If so, please fill out the questionnaire for diamond sanding discs.

New Floor Covering

Wooden flooring:

glued nailed screwed floating
large format small format

Other covering:

lamine vinyl carpet epoxy
PVC/linoleum tiles cork

other:

Customer Satisfaction

very satisfied satisfied partly
dissatisfied very dissatisfied

Instruction

Had you been instructed by Lägler customer adviser?

yes no

Remarks

Pictures

Are there any pictures of the project available?

yes no